SCORPION™ G2FI

Water Jetting Package A



+ INCLUDED






APPLICATIONS

- Plumbers
- Council & Municipality
- Drain Cleaning
- Water Authorities

PACKAGE INCLUDES

- Scorpion G2FI Water Jetting System
- iGX700/800 upgraded engine (auto speed)
- Front double stack kit with 1 x 60m hose reel with 3/8” high pressure hose + 1 x 30m hose reel with 3/4” inlet hose
- Remote mini reel w/60m 1/4” jetting hose + locking plate
- 1/8” 15m jetting whip hose with micro drain nozzle
- 7 Piece professional nozzle kit
- Wash down J5500k LTF gun & JW single lance
- Main hose safety whip restraint + medical alert card

PIPE SIZES



50 - 225mm

MODELS	PERFORMANCES	SKU
SCORPION G2FI 280-26	**4060 PSI** (280 BAR) **26 L/PM** | **Honda™** iGX700	HJ4000-26PHFI-PACK-A
SCORPION G2FI 280-31	**4060 PSI** (280 BAR) **31 L/PM** | **Honda™** iGX800	HJ4000-31PHFI-PACK-A
SCORPION G2FI 350-23	**5075 PSI** (350 BAR) **23 L/PM** | **Honda™** iGX700	HJ5000-23PHFI-PACK-A
SCORPION G2FI 350-26	**5075 PSI** (350 BAR) **26 L/PM** | **Honda™** iGX800	HJ5000-26PHFI-PACK-A

3 Year Warranty

1 Person Operation

Made in Australia

Aus Wide Service








SIDEWINDER

Max Pressure: 5080 PSI (350 BAR)
Max Temp: 150°C
1 Oscillating Jet Forward
6-8 Reverse Jets
Stainless Steel





PROFESSIONAL NOZZLE KIT INCLUSIONS

JW Sidewinder	1 x Oscillating Forward Jet, 6 or 8 reverse jets for more cutting power
Penetrator Nozzle	1 x Forward Jet, 3 x Reverse jets in reverse
Negotiator Nozzle	1 x Forward Jet, 3 x Reverse jets, better for more difficult bends, gullys or traps
Extension Bar	To be used on larger diameter pipes, prevents nozzle from turning around within the pipe
Spanner	Spanner to assist in assembling nozzle head
Tip Cleaner	Nozzle tip cleaner for cleaning blocked nozzles (Under Caution Card)
Medical Alert Card PVC	Water proof Medical alert card for ambulance and doctors if any high pressure incidents


OPTIONAL UPGRADES

OPTIONAL UPGRADE	SKU
JW® VAN ALLOY DRIP TRAY + EXHAUST EXTENSION KIT	JWA432



Includes:
- Alloy drip tray
- Extended Exhaust

OPTIONAL UPGRADE	SKU
JW® JETLOCK QUICK MOUNTING SYSTEM	JW-JLS



Includes:
- Jetlock Base Plate with mounting points
- Lynchpin locking system
- Padlock included

OPTIONAL UPGRADE	SKU
JW® SLIDE SYSTEM	SLIDE



Includes:
- Slide System with various mounting points
- Padlock included

OPTIONAL UPGRADE	SKU
JW® AUTEC REMOTE CONTROL	SEN-REM



Includes:
- AS/NZS 4223 Class B Compliant
- Remote Control, Engine On/Off, Pressure On/Off, Auto shutdown when out of range
- Magnetic key lock out
- Over 200m range

OPTIONAL UPGRADE	SKU
JW® EXHAUST 90° ELBOW + RAIN CAP KIT	JWA-605



Includes:
- 90° Exhaust elbow with rain cap for protection
- Used to vent the exhaust fumes


OPTIONAL UPGRADE	SKU
DIRECT HIT® PREMIUM NOZZLE	C43RS.08



Includes:
- Premium internally rotating water jetting nozzle
- Best all rounder for cut and flush

HONDA IGX700/800

DESIGNED FOR WATER JETTING





ELECTRONIC FUEL INJECTION

The V-Twin Honda iGX 700/800 petrol engine offers exceptional power, performance, and reliability. With automotive-style EFI closed-loop technology, it optimizes engine performance across various speeds and loads.

- 25% fuel consumption reduction with auto-speed technology.
- Quieter operation at idle and easy choke-less starts.
- Lower running, maintenance costs, and environmentally friendly.
- Compact flat-style air cleaner for space efficiency.

AUTO SPEED TECHNOLOGY


Auto-speed technology connects the pump to the engine, adjusting RPM based on load. It reduces engine speed when idle and increases to optimal levels when needed, improving efficiency and extending equipment life.

- Optimizes engine speed based on load.
- Reduces fuel consumption, noise, and emissions.
- Lowers maintenance costs and refueling trips.
- Enables day and night operation with maximum runtime.



POWERED by HONDA

TECHNICAL DATA



Pipe Size	50 - 225mm
Pump	JW Premium Udor™ Pump (Made in Italy)
Engine	Honda™ iGX700 or iGX800 EFI (Auto Speed)
Water Tank	40L Leak proof sealed with low level water shut off
Jetting Hose (Primary Reel)	60m 3/8" DWB High Pressure Hose
Jetting Hose (Mini Reel)	60m 1/4" Jetting Hose
Jetting Hose (Whip Hose)	15m 1/8" Jetting Hose with Micro Drain Nozzle
Inlet Low Pressure Hose	30m 3/4" Hose with Brass Connection
Dimensions	1430mm(L) x 620mm (W) x 870mm (H)
Warranty	3 Year Engine | 3 Year Unit
Weight	200kg (approx.)
Fuel Tank	25L with level gauge (under chassis mounted)
Fuel Type	Unleaded

Head Office

JETWAVE GROUP

10-16 Smith Street, Thebarton, 5031
Adelaide, South Australia, AU
+61 8 8371 3599
info@jetwavegroup.com
jetwavegroup.com

VIC Branch

JETWAVE VICTORIA

10 Drake Boulevard, Altona,
Victoria 3018 AU
+61 3 9123 1177
sales@jetwavevic.com.au
jetwavegroup.com

WA Branch

JETWAVE WESTERN AUSTRALIA

17 Eagle Drive, Jandakot Airport,
6164, Western Australia, AU
+61 8 9417 2897
sales@jetwavewa.com.au
jetwavegroup.com

SA Service

JETWAVE TECHNICAL

55 Ligh Terrace, Thebraton 5031
South Australia
+61 8 8371 3690
joel@jetwavewa.com.au
jetwavegroup.com

jetwavegroup jetwave.group jetwavegroup jetwavegroup jetwave-group

Copyright © 2026 Jetwave® Group Pty Ltd. All Rights Reserved.